

FIG. 1




FIG. 2

DSP	PORT	STATE
DSP 1	1	ENABLE
	2	BUSY
	3	FAULT
	4	ENABLE
DSP 2	5	.
	6	.
	7	.
	8	.
DSP 3	9	.
	10	.
	11	.
	12	.
DSP 4	13	.
	14	.
	15	.
	16	.

FIG. 3A

STATE	EVENT
SEIZURE	ANNOUNCEMENT MSG #1, 2, 3, 4

FIG. 3B




FIG. 4

VOICE MESSAGE 1 : HELLO, THIS IS SS CORPORATION
VOICE MESSAGE 2 : ENTER USER ID
VOICE MESSAGE 3 : ENTER PASSWORD
VOICE MESSAGE 4 : ENTER CALLED NUMBER

FIG. 5A

MESSAGE NUMBER	MESSAGE
VOICE MESSAGE 1	HELLO, THIS IS SS CORPORATION
VOICE MESSAGE 2	ENTER USER ID
VOICE MESSAGE 3	ENTER PASSWORD
VOICE MESSAGE 4	ENTER CALLED NUMBER

FIG. 5B

MESSAGE NUMBER	MESSAGE
VOICE MESSAGE 1	HELLO, THIS IS SS CORPORATION EOF
VOICE MESSAGE 2	ENTER USER ID EOF
VOICE MESSAGE 3	ENTER PASSWORD EOF
VOICE MESSAGE 4	ENTER CALLED NUMBER EOF

FIG. 5C




FIG. 6